

**Product Declaration - DGNB Neubauversion Büro- und Verwaltungsgebäude 2015**
**MANUFACTURER** NMC S.A.

**PRODUCT NAME** CLIMAFLEX® STABIL & EXZENTROFLEX® COMPACT

**Product Rating DGNB Criteria**






- The product meets the requirements of quality level 1 to 3 and contributes to achieve 75 (of max. 100 achievable) checklist points according to criterion 'ENV1.2 Local Environmental Impact'.
- The product has an Environmental Product Declaration (EPD), which can be used for the life cycle assessment according to criteria 'ENV 1.1' and 'ENV2.1'.

**Criterion ENV 1.2 Risks for the Local Environment - Ecological Quality**
**Quality Level 1** 10 Checklist Points 
**Quality Level 2** 50 Checklist Points 
**Quality Level 3** 75 Checklist Points 
**Quality Level 4** 100 Checklist Point 
**Criterion ENV 1.3.1 Sustainable Resources - Ecological Quality\***
**Quality Level 1** 10 Checklist Points 
**Quality Level 2** 50 Checklist Points 
**Quality Level 3** 100 Checklist Points 

\* This criterion is only applicable to wooden materials.

**Product Characteristics**

CLIMAFLEX® STABIL: pipe insulation with a robust protective coating, likewise on the basis of NMC Naturefoam® polyethylene which contains at least 50 % of renewable raw materials; wall thicknesses 4, 9, 13, 20 & 25 mm, Euroclass E  
EXZENTROFLEX® COMPACT: excentric insulation with a robust protective coating for the lowest installation height and even tighter pipe laying; insulating thicknesses 9, 25, 38 & 46 mm, Euroclass E

-  **Credit requirements fulfilled - the action level is achieved**
-  **Credit is not applicable to this product**
-  **22% X% of the product comply with the credit requirement**
-  **Required data not specified - for required data contact manufacturer**
-  **Credit requirements are not fulfilled**

**About DGNB Products - [www.dgnb.de](http://www.dgnb.de)**

This declaration helps to assess products easily according the certification system DGNB® Neubauversion Büro- und Verwaltungsgebäude (NBV15). Products are not reviewed or certified by DGNB. DGNB credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. Therefore the project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve DGNB points.

Above you find an explanation of the symbols. Detailed information are on the next pages.

**MANUFACTURER** NMC S.A.

**PRODUCT NAME** CLIMAFLEX® STABIL & EXZENTROFLEX® COMPACT

**Product assessment of complete system**

Topic	Number	Criteria	Relevance	Evaluation
Environmental Quality (ENV)	ENV1.1	Life cycle Assessment - Emissions	✓	An Environmental Product Declaration (EPD) does exist for this product.
	ENV1.2	Local environmental impact	✓	Quality Level 3 is fulfilled
	ENV1.3.1	Responsible procurement (Wood)		
	ENV1.3.2	Responsible procurement (Natural Stone)		
	ENV2.1	Life cycle Assessment - Primary Energy	✓	An Environmental Product Declaration (EPD) does exist for this product.
	ENV2.2	Potable water demand and wastewater volume		
	ENV2.3	Land Use		
Economic Quality (ECO)	ECO1.1	Building-related life-cycle costs		
	ECO2.1	Suitability for conversion		
	ECO2.2	Marketability		
Sociocultural and Functional Quality (SOC)	SOC1.1	Thermal Comfort		
	SOC1.2	Indoor Air Quality		
	SOC1.3	Acoustic Comfort		
	SOC1.4	Visual Comfort		
	SOC1.5	Occupant control		
	SOC1.6	Quality of stay outdoor / indoor		
	SOC1.7	Safety		
	SOC2.1	Access for all		
	SOC2.2	Public access		
	TEC1.2	Noise protection		
	TEC1.3	Building envelope quality		
	TEC1.4	Adaptability of Technical Systems		
	TEC1.5	Ease of cleaning and maintenance		
	TEC1.6	Ease of dismantling and recycling		
	TEC3.1	mobility infrastructure		
Process Quality (PRO)	PRO1.1	Project preparation and planning		
	PRO1.3	Conceptual design and optimization in the planning		
	PRO1.4	Sustainability aspects in tender phase		
	PRO1.5	Documentation for Facility Management		
	PRO1.6	Design and urban quality		
	PRO2.1	Environmental impact of construction		
	PRO2.2	Construction quality assurance		
	PRO2.3	Systematic commissioning		
Site Quality (SITE)	SITE1.1	Site location risks		
	SITE1.2	Public image and social conditions		
	SITE1.3	Access to transportation		
	SITE1.4	Access to specific-use facilities		

**Product Declaration - DGNB Neubauversion Büro- und Verwaltungsgebäude 2015**

<b>MANUFACTURER</b>	NMC S.A.
<b>PRODUCT NAME</b>	CLIMAFLEX® STABIL & EXZENTROFLEX® COMPACT

**Product assessment for criteria ENV1.2 - Local environmental impact**

The product fulfills the requirements for Quality Level 1-3

Assessment: **Quality Level 3**

**Goals and Relevance**

Certain materials, construction products and preparations are a risk for soil, air, groundwater and surface water as well as for human's health, flora and fauna. In order to minimize risks for humans and the local environment, materials, (construction) products and preparations need to be reduced, avoided or substituted, which due to their material properties or ingredients are a risk for surface and ground water, soil or air. Especially those materials, (construction) products and preparations must be reduced, avoided or replaced, which affect human health, flora and fauna or harm within a short-, medium / or long-term period. This affects the entire life cycle - from production, processing at site, use of (building) inventory and disposal (dismantling, recycling, landfilling). These local risks are assessed material and product related. Hence eco-and human toxicological impact categories of LCA can not be applied due to lack of evaluation and measurement procedures.

**Product Assessment**

	Relevant Products	Requirements of Quality Levels	Assessment of Product	Evaluation
35	Plastics for coating of surfaces (floor and wall) and components on the building envelope  Subject: Elastic floor coverings (z. B. PVC, rubber), wall coverings, rooflights, vinyl windows	Quality Level 1    Content of lead and tin <0.1%  Quality Level 2    Content of lead and tin <0.1%  Quality Level 3    Content of lead and tin <0.1%  Quality Level 4    Content of lead and tin <0.1%	The content of lead and tin is < 0.1%	<b>Quality Level 4</b>
40	Plastics foam insulation products for buildings and building services  Subject: PS/XPS/PU insulation products, flexible TGA insulations (rubber and PE)	Quality Level 1    Free of halogenated blowing agents  Quality Level 2    Free of halogenated blowing agents  Quality Level 3    Free of halogenated blowing agents  Quality Level 4    Free of halogenated blowing agents	The product is free of halogenated blowing agents.	<b>Quality Level 4</b>
41	Artificial foam insulation materials (building and building services incl. heating and cooling surfaces)  Subject: PS / XPS, PUR / PIR, resole plates	Quality Level 1    HBCD-free  Quality Level 2    HBCD-free  Quality Level 3    HBCD-free  Quality Level 4    HBCD-free	The product is HBCD-free.	<b>Quality Level 4</b>

**Product Declaration - DGNB Neubauversion Büro- und Verwaltungsgebäude 2015**
**MANUFACTURER** NMC S.A.

**PRODUCT NAME** CLIMAFLEX® STABIL & EXZENTROFLEX® COMPACT

Relevant Products		Requirements of Quality Levels		Assessment of Product	Evaluation
43	Flame-retardant construction products (goods)  Subject: insulation of building equipment and wall coverings (glass fiber wallpaper, decorative fleece, etc.)	Quality Level 1 No requirements  Quality Level 2 No requirements  Quality Level 3 For building material class B1, insulation materials with long-chain CP (LCCP) are tolerated.  Quality Level 4 no CPs and PBB + PBDE + TCEP < 0,1 %	No requirements  no CPs and PBB + PBDE + TCEP < 0,1 %	PBB + PBDE + TCEP < 0.1 % Es werden langkettige Chlorparaffine genutzt. The product belongs to building material class B1.	<b>Quality Level 3</b>
Relevant Products		Requirements of Quality Levels		Assessment of Product	Evaluation
44	Plastic materials  Subject: external wall and roof insulation, wall coverings, window, electrical cables: plastic sheets, wall coverings, wallpaper, plastic windows, cable sheathing	Quality Level 1 No requirements  Quality Level 2 No requirements  Quality Level 3 SVHC < 0,1 %  Quality Level 4 SVHC < 0,1 %	No requirements  SVHC < 0,1 %	SVHC < 0,1 %	<b>Quality Level 4</b>

**Other remarks on classification**

## Product Declaration - DGNB Neubauversion Büro- und Verwaltungsgebäude 2015

<b>MANUFACTURER</b>	NMC S.A.
<b>PRODUCT NAME</b>	CLIMAFLEX® STABIL & EXZENTROFLEX® COMPACT

## The product contains the following components:

Mass per  
unit [%]

K1 CLIMAFLEX® STABIL &amp; EXZENTROFLEX® COMPACT

100%